


# BORK

Инструкция  
по эксплуатации



**АВТОМОБИЛЬНЫЙ  
ФОТО-КАТАЛИТИЧЕСКИЙ  
ОЧИСТИТЕЛЬ ВОЗДУХА**

AP NNC 1700 SI

Уважаемый покупатель, уважаемая покупательница! Поздравляем Вас с приобретением нового автомобильного фото-каталитического очистителя воздуха. При правильном использовании он прослужит Вам долгие годы.

Пожалуйста, внимательно изучите нижеследующую информацию. Она содержит важные указания по безопасности, эксплуатации телевизора и по уходу за ним. Позаботьтесь о сохранности настоящей Инструкции и, если автомобильный очиститель воздуха перейдет к другому хозяину, передайте ее вместе с прибором.

---

## > ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Размеры, мм	170×158×70
Зона действия, м <sup>2</sup>	2–5
Потребляемая мощность, Вт	<10

### *Внимание!*

Производитель имеет право на внесение изменений в технические характеристики вследствие постоянного совершенствования продукции без дополнительного уведомления об этих изменениях.


---

## > МЕРЫ ПРЕДОСТОРОЖНОСТИ

- Во избежание попадания в глаза ультрафиолетовых лучей не открывайте крышку прибора во время работы.
- Не используйте режим озонирования, если вы находитесь слишком близко к прибору.
- Следите, чтобы входное и выходное отверстия не были заблокированы.
- Не используйте прибор внутри помещений с высокой концентрацией легко воспламеняющихся или взрывчатых веществ.

**КОМПЛЕКТАЦИЯ**

Прибор	1
Инструкция	1

**ЭКСПЛУАТАЦИЯ****Установка и подключение****В машине**

- Поставьте прибор на коврик, предотвращающий соскальзывание.
- Подключите прибор к линейному адаптеру машины и в розетку (используется как зажигалка для сигарет).

### **Включение и режимы работы**

- Нажмите кнопку выбора режимов работы. Зеленый индикатор зажжется, и прибор начнет работу в режиме по умолчанию (модуль 1 – фотокаталитическая фильтрация и ионизация).
- Нажмите кнопку выбора режимов работы снова, зеленый свет индикатора сменится красным цветом, и прибор работает в режиме 2 (фотокаталитическая фильтрация и озонирование).
- При работе в режиме 2 прибор будет автоматически переключаться в режим по умолчанию (режим 1) через каждые 15 минут.
- По окончании работы нажмите кнопку выбора режимов работы и зеленый индикатор погаснет.



### **ЧИСТКА И УХОД**

- Для очистки фильтра поверните крышку прибора в направлении «разблокировка» и снимите крышку.
- Снимите фильтр, промойте его водой, высушите его и установите на место.
- Установите крышку прибора на входное отверстие и поверните ее в направлении «блокировка».

---


**> ИНФОРМАЦИЯ О СЕРТИФИКАЦИИ** Товар сертифицирован в соответствии с законом «О защите прав потребителей»

Установленный производителем в соответствии с п.2 ст.5 Федерального Закона РФ «О защите прав потребителей» срок службы для данного изделия равен 5 годам с даты изготовления при условии, что изделие используется в строгом соответствии с настоящей инструкцией по эксплуатации и применяемыми техническими стандартами.



# BORK

Instruction  
manual



**PHOTOCATALYTIC  
AIR PURIFIER**

AP NNC 1700 SI

Congratulations on the purchase of your new Photocatalytic Air Purifier. Before first using your new Purifier, it is most important that you read and follow the instructions in this use and care booklet, even if you feel you are familiar with this type of appliance.

Your attention is drawn particularly to the section dealing with IMPORTANT SAFEGUARDS. Find a safe and convenient place to keep this booklet handy for future reference.

This appliance has been designed to operate from a standard domestic power outlet. It is not intended for industrial or commercial use.



## TECHNICAL CHARACTERISTICS

Dimension	170×158×70 mm
Effective area	2–5 m <sup>2</sup>
Power Consumption	<10 W

### *Warnings!*

The manufacture declines all responsibility for any damage caused by improper, incorrect and unreasonable use of the appliance.




## SAFETY INSTRUCTIONS

- In order to avoid UV ray run into eyes please don't open device cover while it is running.
- Please do not use modes with Ozonation (mode 2) when you are in car or too close (when in home/office).
- Please prevent blocking of inlet and outlet.
- Please do not use device indoors with high concentration of highly inflammable and explosive substance.



**COMPLETE SET**

Air Purifier	1
Instruction manual	1

**OPERATION Installation and connection****In car**

- Place device on anti-sliding rug.
- Please connect device with car line adaptor and plug into car socket (used for cigarette lighter).

**Inclusion and operating modes**

- Press button "01/03", green indicator light up and device is running in default mode (mode 1 — Photocatalytic filtration and ionization).

- Press button “01/03” again, green indicator will be switched into red indicator and mode 2 is running (mode 2 — Photocatalytic filtration and Ozonation). When device is running in mode 2 it will be automatically switched into default mode (mode 1) in 15 minutes.
- In order to switch off device please press button “01/03”, green indicator will put out.



## CARE AND CLEANING

- In order to clean pre-f ilter please turn the cover of device in “UNLOCK” direction and lift the cover up.
- Remove pre-f ilter, clean it by flowing water than dry it out and put into device back.
- Insert cover of device into inlet and close it in “LOCK” direction.

---

**>** **WARRANTY** The benefits conferred by this warranty are in addition to all implied warranties, other rights and remedies in respect of the product which the consumer has under the Trade Practices Act and Territory Laws.

Товар сертифицирован в соответствии  
с законом «О защите прав потребителей»

